



Dallas County Department of Criminal Justice
Bond Supervision Unit for Alcohol Monitoring
133 N. Riverfront Blvd. 1st Floor, Rm. A9
Dallas, Texas 75207
Main: (214) 875-2289 Fax: (214) 875-2377
Email: BSU@dallascounty.org

1/6/15
need to send
on 2/9
4
2/6/15
Admitted re: condition

January 2, 2015

**COURT NOTIFICATION
DEFENDANT'S FAILURE TO COMPLY WITH CONDITIONS OF BOND**


State of Texas

CCCAP # 2

VS

BARRIENTES, MARK

CAUSE # M14-49301M



The above mentioned defendant was released on bond for the offense of **DWI 0.15 +**. As a condition of his/her bond, and in compliance with Chapter 17, Criminal Code of Procedure, Article 17.441 (CONDITIONS REQUIRING INTERLOCK), the defendant was granted thirty (30) days after release from custody to have the interlock device installed.

THE DEFENDANT IS IN VIOLATION OF THE CONDITIONS OF BOND:

ON 11/14/2014 THE DEFENDANT TESTED POSITIVE FOR ALCOHOL.

**11/14/2014
12:55 PM – HBrAC .041
1:03 PM – HBrAC .044
1:33 AM – HBrAC .037
1:40 PM – HBrAC .036
1:47 PM – HBrAC .036
PICTURE VERIFIED.**

Mr. S.C. Stewart
Officer - Bond Supervision Unit
Dallas County Dept. of Criminal Justice
214-875-2291
SHAUN.STEWART@DALLASCOUNTY.ORG

Service Center Information

Draeger Safety Diagnostics, Inc.
 Device/Model: IL7000
 1350 Manufacturing St. Ste 218
 Dallas, TX 75207

Vendor Representative conducting service: Jorge, Ortiz
 Date service conducted: 11/25/2014 13:53 TUE
 Period: 10/21/2014 to 11/25/2014

<p><u>Client Information:</u> Case/Cause #: 81449301-M CID #: Installation Date: 08/28/2014 Program ID: 384766 BARRIENTES, MARK A. D.O.B: 11/23/1982 2428 IROQUOIS ST. Dallas, TX 75212</p> <p>DL #: 20992590 Phone #: (972)352-9496</p> <p><u>Vehicle Information:</u> Mileage: 0 Color: Green 1999/DODGE/RAM SERIES P/U Lic Plate #: 68B-RW5</p>	<p><u>Monitor Information:</u> Dallas Bond Supervision Unit Stewart, Shaun 133 N. Riverfront Blvd LB 48 1st. Floor Rm A9 Dallas, TX 75207 Phone #: (214)875-2282 Fax #: (214)875-2377</p> <p><u>Condition:</u> <input checked="" type="checkbox"/> Bond/Pre-trial <input type="checkbox"/> Probation <input type="checkbox"/> Parole <input type="checkbox"/> Occupational License <input type="checkbox"/> Other _____</p>																																		
<p><u>Summary of Events:</u></p> <table> <tr><td>Initial Tests Passed</td><td>157</td></tr> <tr><td>Retests Passed</td><td>105</td></tr> <tr><td>Initial Tests Passed > 0</td><td>1</td></tr> <tr><td>Retests Passed > 0</td><td>1</td></tr> <tr><td>Illegal Starts</td><td>0</td></tr> <tr><td>Initial Test Failed</td><td>3</td></tr> <tr><td>High BrAC</td><td>2</td></tr> <tr><td>RR Refused</td><td>0</td></tr> <tr><td>RR Failed</td><td>0</td></tr> <tr><td>Engine Starts</td><td>178</td></tr> <tr><td>Engine Stops</td><td>178</td></tr> <tr><td>Power Offs</td><td>2</td></tr> <tr><td>Power Ons</td><td>2</td></tr> <tr><td>Handset Disconnects</td><td>0</td></tr> <tr><td>Handset Connects</td><td>0</td></tr> <tr><td>Authorized Starts</td><td>0</td></tr> <tr><td>Aborts</td><td>0</td></tr> </table>	Initial Tests Passed	157	Retests Passed	105	Initial Tests Passed > 0	1	Retests Passed > 0	1	Illegal Starts	0	Initial Test Failed	3	High BrAC	2	RR Refused	0	RR Failed	0	Engine Starts	178	Engine Stops	178	Power Offs	2	Power Ons	2	Handset Disconnects	0	Handset Connects	0	Authorized Starts	0	Aborts	0	<p><u>Comment Section:</u></p>
Initial Tests Passed	157																																		
Retests Passed	105																																		
Initial Tests Passed > 0	1																																		
Retests Passed > 0	1																																		
Illegal Starts	0																																		
Initial Test Failed	3																																		
High BrAC	2																																		
RR Refused	0																																		
RR Failed	0																																		
Engine Starts	178																																		
Engine Stops	178																																		
Power Offs	2																																		
Power Ons	2																																		
Handset Disconnects	0																																		
Handset Connects	0																																		
Authorized Starts	0																																		
Aborts	0																																		
<p><u>Calibration Confirmation Result:</u></p>	<p><u>Comment Section:</u></p>																																		

Questions or Problems???

For Report Assistance Please Call (866) 385-5900



Draeger Safety Diagnostics, Inc.
1350 Manufacturing St. Ste 218
Dallas, TX 75207

VIOLATION IMAGE REPORT:

Client ID	384766	Vehicle Info	1999/DODGE/RAM SERIES P/U
Client Name	BARRIENTES, MARK A.	Monitoring Agent	Stewart, Shaun
Date of Birth	11/23/1982	Service Type	Monitoring and Calibration
DL#	20992590	Service Period	10/21/2014 to 11/25/2014



Event # 9676 11/13/2014 @ 08:14:57 PM
Initial Test Passed 0 g/210L



Event # 9695 11/14/2014 @ 12:55:26 PM
Initial Test Failed High BrAC 0.041 g/210L



Event # 9704 11/14/2014 @ 01:03:09 PM
Initial Test Failed High BrAC 0.044 g/210L



Event # 9713 11/14/2014 @ 01:33:08 PM
Initial Test Failed 0.037 g/210L



Event # 9720 11/14/2014 @ 01:40:44 PM
Initial Test Failed 0.036 g/210L



Event # 9729 11/14/2014 @ 01:47:07 PM
Initial Test Failed 0.036 g/210L

Questions or Problems ???
For Report Assistance Please Call (866) 385-5900



Draeger Safety Diagnostics, Inc.
1350 Manufacturing St. Ste 218
Dallas, TX 75207

VIOLATION IMAGE REPORT:

Client ID	384766	Vehicle Info	1999/DODGE/RAM SERIES P/U
Client Name	BARRIENTES, MARK A.	Monitoring Agent	Stewart, Shaun
Date of Birth	11/23/1982	Service Type	Monitoring and Calibration
DL#	20992590	Service Period	10/21/2014 to 11/25/2014



Event # 9738 11/14/2014 @ 02:25:07 PM
Initial Test Passed 0.022 g/210L

Questions or Problems ???
For Report Assistance Please Call (866) 385-5900



Dallas Bond Supervision Unit

Stewart, Shaun
133 N. Riverfront Blvd LB 48 1st. Floor
Rm A9
Dallas, TX 75207
Fax: (214)875-2377

Draeger Safety Diagnostics, Inc.
1350 Manufacturing St. Ste 218
Dallas, TX 75207

WARNING REPORT

COMMENTS: The event(s) listed below could possibly indicate possible tampering or other suspicious activity. However, since many legitimate factors could also lead to the same result, we advise caution and strongly recommend that you investigate further into the actual nature and cause of the below-listed event(s).

Client Name	:	BARRIENTES, MARK A.
D O B	:	11/23/1982
SSN	:	***-**-4618
License #	:	20992590
Program ID	:	384766

Type of Service	:	Monitoring and Calibration
Service Date	:	11/25/2014 13:53 TUE
Total Events	:	4089
Monitoring Period	:	10/21/2014 to 11/25/2014
Installation Date	:	08/28/2014
Vehicle Make	:	DODGE
Vehicle Model	:	RAM SERIES P/U
Vehicle Year	:	1999
Vehicle Tag	:	68B-RW5
Vehicle VIN	:	1B7HC16Y0XS137709
Odometer	:	999,999
Next Service Date	:	12/23/2014 00:00 TUE

The following indicates the number of occurrences for each of the listed events within the above-designated service period for this client:

- 2 : Device lost power for more than 15 minutes.
- 0 : Handset was disconnected for more than 2 minutes while engine was running.
- 0 : The device detected an unauthorized engine start without a passed test.

Questions or Problems???

For Report Assistance Please Call (866) 385-5900

Event#	Date	Time	Day	Description	BrAC	Add'l Text
9680	11/13/2014	08:15:00 pm	THU	Free Start Timer Off		
9681	11/13/2014	08:15:28 pm	THU	Vehicle Movement Begins		
9682	11/13/2014	08:15:28 pm	THU	Vehicle Movement Data		
9683	11/13/2014	08:17:42 pm	THU	Ignition Off		
9684	11/13/2014	08:17:42 pm	THU	Engine Stop		
9685	11/13/2014	08:17:42 pm	THU	Engine Run Time		
9686	11/13/2014	08:17:42 pm	THU	Vehicle Movement Ends		
9687	11/13/2014	08:17:42 pm	THU	Free Start Timer Begins		
9688	11/13/2014	08:19:42 pm	THU	Free Start Timer Ends		
9689	11/13/2014	08:19:42 pm	THU	Starter Relay Opened		
9690	11/13/2014	08:19:42 pm	THU	Handset Power Off		
9691	11/14/2014	12:54:30 pm	FRI	Ignition On		
9692	11/14/2014	12:54:30 pm	FRI	Handset Power On		
9693	11/14/2014	12:54:36 pm	FRI	Ready for Breath Test		
9694	11/14/2014	12:54:48 pm	FRI	Breath Test Started		
9695	11/14/2014	12:55:26 pm	FRI	Initial Test Failed High BrAC	0.041	
9696	11/14/2014	12:55:26 pm	FRI	Initial Test High BrAC Lockout On		
9697	11/14/2014	12:55:53 pm	FRI	Ignition Off		
9698	11/14/2014	01:00:26 pm	FRI	Initial Test High BrAC Temporary Lockout End		
9699	11/14/2014	01:00:26 pm	FRI	Handset Power Off		
9700	11/14/2014	01:02:40 pm	FRI	Ignition On		
9701	11/14/2014	01:02:40 pm	FRI	Handset Power On		
9702	11/14/2014	01:02:43 pm	FRI	Ready for Breath Test		
9703	11/14/2014	01:02:48 pm	FRI	Breath Test Started		
9704	11/14/2014	01:03:09 pm	FRI	Initial Test Failed High BrAC	0.044	
9705	11/14/2014	01:03:09 pm	FRI	Initial Test High BrAC Lockout On		
9706	11/14/2014	01:04:36 pm	FRI	Ignition Off		
9707	11/14/2014	01:08:09 pm	FRI	Initial Test High BrAC Temporary Lockout End		
9708	11/14/2014	01:08:09 pm	FRI	Handset Power Off		
9709	11/14/2014	01:32:39 pm	FRI	Ignition On		
9710	11/14/2014	01:32:39 pm	FRI	Handset Power On		
9711	11/14/2014	01:32:42 pm	FRI	Ready for Breath Test		
9712	11/14/2014	01:32:45 pm	FRI	Breath Test Started		
9713	11/14/2014	01:33:08 pm	FRI	Initial Test Failed	0.037	
9714	11/14/2014	01:33:08 pm	FRI	Initial Test Lockout 1 On		
9715	11/14/2014	01:38:08 pm	FRI	Initial Test Temporary Lockout 1 End		
9716	11/14/2014	01:38:15 pm	FRI	Ready for Breath Test		
9717	11/14/2014	01:40:15 pm	FRI	Initial Test Not Delivered		
9718	11/14/2014	01:40:19 pm	FRI	Ready for Breath Test		
9719	11/14/2014	01:40:26 pm	FRI	Breath Test Started		
9720	11/14/2014	01:40:44 pm	FRI	Initial Test Failed	0.036	
9721	11/14/2014	01:40:45 pm	FRI	Initial Test Lockout 1 On		
9722	11/14/2014	01:40:52 pm	FRI	Ignition Off		
9723	11/14/2014	01:45:45 pm	FRI	Initial Test Temporary Lockout 1 End		
9724	11/14/2014	01:45:45 pm	FRI	Handset Power Off		

Questions or Problems???

For Report Assistance Please Call (866) 385-5900

9725	11/14/2014	01:46:43 pm	FRI	Ignition On	
9726	11/14/2014	01:46:43 pm	FRI	Handset Power On	
9727	11/14/2014	01:46:46 pm	FRI	Ready for Breath Test	
9728	11/14/2014	01:46:48 pm	FRI	Breath Test Started	
9729	11/14/2014	01:47:07 pm	FRI	Initial Test Failed	0.036
9730	11/14/2014	01:47:07 pm	FRI	Initial Test Lockout 1 On	
9731	11/14/2014	01:47:10 pm	FRI	Ignition Off	
9732	11/14/2014	01:52:07 pm	FRI	Initial Test Temporary Lockout 1 End	
9733	11/14/2014	01:52:07 pm	FRI	Handset Power Off	
9734	11/14/2014	02:24:40 pm	FRI	Ignition On	
9735	11/14/2014	02:24:40 pm	FRI	Handset Power On	
9736	11/14/2014	02:24:43 pm	FRI	Ready for Breath Test	
9737	11/14/2014	02:24:44 pm	FRI	Breath Test Started	
9738	11/14/2014	02:25:07 pm	FRI	Initial Test Passed	0.022
9739	11/14/2014	02:25:07 pm	FRI	Starter Relay Closed	
9740	11/14/2014	02:25:07 pm	FRI	Free Start Timer Begins	
9741	11/14/2014	02:25:17 pm	FRI	Engine Run	
9742	11/14/2014	02:25:17 pm	FRI	Free Start Timer Off	
9743	11/14/2014	02:26:10 pm	FRI	Vehicle Movement Begins	
9744	11/14/2014	02:26:10 pm	FRI	Vehicle Movement Data	

Questions or Problems???

For Report Assistance Please Call (866) 385-5900